



VUL-FRM-19-01-Asbestos Access and Disturbance Permit

Permit Number: (refer to Permit Register before assigning number)				
This permit is used to control access to areas with ACM and to record disturbance of ACM at the Vulcan Mine.				
Section 1 – Task Details				
Person raising request:		Company:		
Location:		Building:		
ACM description:				
Duration of disturbance:				
ACM waste generated?	☐ Yes ☐ No	If YES, what is the approximate quantity:		
What tasks may cause ACM disturbance:				
Section 2 – Mandatory Control (controls should be documented in a JHA)				
			Yes	No
Are controls described in the Asbestos Management Plan? <i>(Where controls are described in the Asbestos Management Plan, these shall be followed)</i>			☐	☐
Warning Signs required			☐	☐
Barriers required			☐	☐
Spray the asbestos-cement sheets with a sealant or wet with water and keep damp			☐	☐
All contaminated materials e.g. rags, plastic, PPE etc., disposed of as asbestos waste			☐	☐
Wet decontamination or wet wiping following works			☐	☐
Suitable respiratory protective equipment			☐	☐
Disposable PPE Overalls			☐	☐
Asbestos vacuum cleaner			☐	☐
Clearance inspection			☐	☐
Asbestos Waste Disposal Bags			☐	☐
Section 3 – Approval				
Supervisor				
Access or Disturbance Approved?		☐ Yes ☐ No		
Comments:				
Name:		Signature:		Date:
SSE or Delegate				
Comments				
Name:		Signature:		Date: